



Mobile crane

LTM 1130-5.1

Max. lifting capacity: 130 t
Max. lifting height: 91 m
Max. working radius: 72 m



LIEBHERR



Mobile Crane LTM 1130-5.1

Flexible and economical to operate






The Liebherr LTM 1130-5.1 mobile crane is characterised by its long telescopic boom, strong lifting capacities, exceptional mobility and comprehensive comfort and safety equipment. This 130-tonner features top-of-the-range technology, making it even more effective in operation.

- 60-m telescopic boom and 14 m telescopic boom extension (2 x 7 m)
- 19-m folding fly jib, hydraulically adjustable (option)
- 60-t overall weight, incl. 9-t ballast at 12-t axle load
- Vehicle width: 2.75 m with 445/95 R25 (16.00 R 25) tyres
- Great flexibility of use due to optimum lifting capacities with full and partial ballast
- Active, speed-dependent rear-axle steering
- Pneumatic disc brakes





Drivetrain

- Six-cylinder Liebherr turbo-diesel engine, 370 kW/503 hp, max. torque: 2355 Nm
- Automated ZF AS-TRONIC gearbox, 12 forward and 2 reverse speeds
- ZF interarder directly at the gearbox
- 2-stage transfer case, 0.78 km/h crawling speed
- Axles two, four and five driven, axle one as option

